



NORDUGRID-MANUAL-13

10/3/2010

ARC CLIENTS

User's Manual

Contents

1	Introduction	5
2	Commands	7
2.1	Proxy utilities	7
2.1.1	arcproxy	7
2.1.2	arcscls	9
2.2	Job submission and management	9
2.2.1	arcsub	9
2.2.2	arcstat	12
2.2.3	arccat	13
2.2.4	arcget	14
2.2.5	arcsync	15
2.2.6	arcinfo	16
2.2.7	arckill	16
2.2.8	arcclean	17
2.2.9	arcnew	18
2.2.10	arcresume	19
2.2.11	arcresub	19
2.2.12	arcmigrate	20
2.3	Data manipulation	21
2.3.1	arcls	21
2.3.2	arccp	22
2.3.3	arcrm	23
2.3.4	arcsrmping	24
2.3.5	chelonia	24
3	URLs	33
4	ARC Client Configuration	37
4.1	Block [common]	37
	defaultservices	37
	rejectservices	38
	verbosity	38
	timeout	38

brokername	38
brokerarguments	38
joblist	39
bartender	39
proxypath	39
keypath	39
certificatepath	39
cacertificatesdirectory	39
cacertificatepath	40
vomsserverpath	40
username	40
password	40
keypassword	40
keysize	40
certificatelifetime	40
slcs	41
storedirectory	41
idpname	41
4.2 Block [alias]	41
4.3 srms.conf	42
4.4 Deprecated configuration files	42

Chapter 1

Introduction

The command line user interface of ARC consists of a set of commands necessary for job submission and manipulation and data management. This manual replaces the older version in **NORDUGRID-MANUAL-1** and is valid for ARC versions 0.9 and above. Command line tools semantics is the same as in earlier versions of ARC, roughly following that of basic Linux commands and most common batch system commands. One obvious difference is change of the legacy prefix from “ng” to the more appropriate “arc”. This is not only a cosmetic change: **behaviour of the commands also have changed**, as did their functionalities and options.

Users are strongly discouraged from modifying their old scripts by simply replacing “ng” with “arc” – results may be unpredictable.

Chapter 2

Commands

2.1 Proxy utilities

ARC now comes complete with a set of utilities to create temporary user credentials (proxies) used to access Grid services.

2.1.1 arcproxy

In order to contact Grid services (submit jobs, copy data, check information etc), one has to present valid credentials. These are commonly formalized as so-called “proxy” certificates. There are many different types of proxy certificates, with different Grids and different services having own preferences. `arcproxy` is a powerful tool that can be used to generate most commonly used proxies. It supports the following types:

- pre-RFC GSI proxy
- RFC-compliant proxy (default)
- VOMS-extended proxy
- MyProxy delegation

`arcproxy` requires presence of user’s private key and public certificate, as well as the public certificate of their issuer CA.

arcproxy [options]

(ARC 0.9)

Options:

<code>-P, --proxy</code>	<i>path</i>	path to the proxy file
<code>-C, --cert</code>	<i>path</i>	path to the certificate file
<code>-K, --key</code>	<i>path</i>	path to the key file
<code>-T, --cadir</code>	<i>path</i>	path to the trusted certificate directory, only needed for VOMS client functionality
<code>-V, --vomses</code>	<i>path</i>	path to the VOMS server configuration file
<code>-S, --voms</code>	<i>voms[:command]</i>	Specify VOMS server (more than one VOMS server can be specified like this: <code>-voms VOa:command1 -voms VOb:command2</code>)

		:command is optional, and is used to ask for specific attributes(e.g. roles). Command options are:
	all	– put all of this DN’s attributes into AC;
	list	– list all of the DN’s attribute,will not create AC extension;
	/Role=yourRole	– specify the role, if this DN has such a role, the role will be put into AC
	/vuname/groupname/Role=yourRole	– specify the VO,group and role; if this DN has such a role, the role will be put into AC
-G, --gsicom		use GSI communication protocol for contacting VOMS services
-0, --old		use GSI proxy (default is RFC 3820 compliant proxy)
-I, --info		print all information about this proxy. In order to show the Identity (DN without CN as suffix for proxy) of the certificate, the 'trusted certdir' is needed.
-U, --user	string	username for MyProxy server
-L, --myproxysrv	URL	URL of MyProxy server
-M, --myproxycmd	PUT GET	command to MyProxy server. The command can be PUT and GET. PUT/put – put a delegated credential to MyProxy server; GET/get – get a delegated credential from MyProxy server, credential (certificate and key) is not needed in this case.
-c, --constraint	string	proxy constraints
-t, --timeout	seconds	timeout in seconds (default 20 seconds)
-d, --debug	debuglevel	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
-z, --conffile	filename	configuration file (default \$HOME/.arc/client.conf)
-v, --version		print version information
-h, --help		print help page

Supported constraints are:

- **validityStart=time** – e.g. 2008-05-29T10:20:30Z; time when certificate becomes valid. Default is now.
- **validityEnd=time** – time when certificate becomes invalid. Default is 43200 (12 hours) from start.
- **validityPeriod=time** – e.g. 43200 or 12h or 12H; for how long certificate is valid. If neither **validityPeriod** nor **validityEnd** are specified, default is 12 hours
- **vomsACvalidityPeriod=time** – e.g. 43200 or 12h or 12H; for how long the AC is valid. Default is the same as **validityPeriod**.
- **proxyPolicy=policy content** – assigns specified string to proxy policy to limit it’s functionality.
- **proxyPolicyFile=policy file**

MyProxy functionality can be used together with VOMS functionality.

2.1.2 arclscls

This utility generates short-lived credential based on the credential to IdP in SAML2SSO profile (normally the username/password to Shibboleth IdP).

arclscls [options]

(ARC 0.9)

Options:

-S, --ur;	<i>URL</i>	URL of SLCS Service (e.g. https://127.0.0.1:60000/slcs)
-I, --idp	<i>URL</i>	the name of IdP (e.g. https://idp.testshib.org/idp/shibboleth)
-U, --user	<i>string</i>	User account to IdP
-P, --password	<i>string</i>	password for user account to IdP
-Z, --keysize	<i>integer</i>	size of the private key, default is 1024
-K, --keypass		passphrase for protecting the private key; if not set, the private key file will not be protected by the passphrase.
-L, --lifetime	<i>hours</i>	life time of the credential (hours), starting with current time
-D, --storedir	<i>path</i>	store directory of the credential
-t, --timeout	<i>seconds</i>	timeout in seconds (default 20 seconds)
-d, --debug	<i>debuglevel</i>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
-c, --conffile	<i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
-v, --version		print version information
-h, --help		print help page

2.2 Job submission and management

The following commands are used for job submission and management, such as status check, results retrieval, cancellation, re-submission and such. The jobs must be described using a job description language. ARC supports the following languages: JSDL [2], xRSL [8] and JDL [6].

2.2.1 aresub

The **aresub** command is the most essential one, as it is used for submitting jobs to the Grid resources. **aresub** matches user's job description to the information collected from the Grid, and the optimal site is being selected for job submission. The job description is then being forwarded to that site, in order to be submitted to the Local Resource Management System (LRMS), which can be, e.g., PBS or Condor or SGE etc.

aresub [options] [filename ...]

(ARC 0.9)

Options:

-c, --cluster	[-] url	explicitly select or reject (-) a specific site
-i, --index	[-] url	explicitly select or reject (-) a specific index server
-e, --jobdescrstring	filename	string describing the job to be submitted
-f, --jobdescrfile	filename	file describing the job to be submitted
-j, --joblist	filename	file where user's job information will be stored
-x, --dumpdescription		do not submit – dump transformed job description to stdout
-b, --broker	string	select broker method (default is Random)
-t, --timeout	seconds	timeout in seconds (default 20)
-d, --debug	debuglevel	debug level, FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG - default WARNING
-z, --conffile	filename	configuration file (default \$HOME/.arc/client.conf)
-v, --version		print version information
-h, --help		print help page
Arguments:		
filename ...		file(s) describing the job(s) to be submitted

The **-c** and **-i** arguments accept meta-URLs of the format **GRID:URL**, where **GRID** indicates a Grid middleware flavour. Possible flavours are **ARC0**, **ARC1**, **CREAM** and **UNICORE**. For example, for index servers:

```
ARC0:ldap://index.ng.org:2135/mds-vo-name=sweden,O=grid
CREAM:ldap://cream.glite.org:2170/o=grid
```

or clusters:

```
ARC0:ldap://ce.ng.eu:2135/nordugrid-cluster-name=ce.ng.eu,Mds-Vo-name=local,o=grid
```

It is strongly recommended to use aliases for these long URLs. Aliases are specified in the configuration file (see Section 4).

As a shorthand **-f** can be omitted if the job description file is put last on the commandline.

A simple "*Hello World*" job can look like:

```
arcsub -c my-test-site job.jsdl
```

The **-c** option can be repeated several times, for example:

```
arcsub -c alias1 -c alias2 job.xrsl
```

This will submit a job to either **alias1** or **alias2**. To submit a job to any site except **badsite**, use **-** sign in front of the name:

```
arcsub -c -badsite job.xrsl
```

If option **-c** is not given, the **arcsub** command locates the available sites by querying the Information System. Default index services for the Information System are specified in the configuration template distributed with the middleware, and can be overwritten both in the user's configuration (see Section 4) and from the command line using option **-i**. Different Grids use different notation for such index services.

A user has to have valid credentials (see Section 2.1) and be authorised at the specified site. A test file **job.jsdl** is shown below.

```

<?xml version="1.0" encoding="UTF-8"?>
<JobDefinition
  xmlns="http://schemas.ggf.org/jsdl/2005/11/jsdl"
  xmlns:posix="http://schemas.ggf.org/jsdl/2005/11/jsdl-posix">
  <JobDescription>
    <JobIdentification>
      <JobName>Hello World job</JobName>
    </JobIdentification>
    <Application>
      <posix:POSIXApplication>
        <posix:Executable>/bin/echo</posix:Executable>
        <posix:Argument>'Hello World'</posix:Argument>
        <posix:Output>out.txt</posix:Output>
        <posix:Error>err.txt</posix:Error>
      </posix:POSIXApplication>
    </Application>
  </JobDescription>
</JobDefinition>

```

If a job is successfully submitted, a **job identifier** (*job ID*) is printed to standard output.

The job ID uniquely identifies the job while it is being executed. Job IDs differ strongly between Grid flavours, but basically they have a form of a URL. You should use Job ID as a handle to refer to the job when doing other job manipulations, such as querying job status (`arcstat`), killing it (`arckill`), re-submitting (`arcresub`), or retrieving the result (`arcget`).

Every job ID is a valid URL for the job session directory. You can always use it to access the files related to the job, by using data management tools (see Chapter 2.3).

The job description in one of the supported languages can be given, either as an argument on the command line, or can be read from a file. Several jobs can be requested at the same time by giving more than one filename argument, or by repeating the `-f` or `-e` options. It is possible to mix `-e` and `-f` options in the same `arcsub` command.

In order to keep track of submitted jobs, ARC client stores information in a dedicated file, by default located in `$HOME/.arc/jobs.xml`. It is sometimes convenient to keep separate lists (e.g., for different kinds of jobs), to be used later with e.g. `arcstat`. This is achieved with the help of `-j` command line option.

The user interface transforms input job description into a format that can be understood by the Grid services to which it is being submitted. By specifying the `--dumpdescription` option, such transformed description is written to `stdout` instead of being submitted to the remote site.

Possible broker values for the `arcsub` command line option `-b` are:

- `Random` – ranks targets randomly (default)
- `FastestQueue` – ranks targets according to their queue length
- `Benchmark[:name]` – ranks targets according to a given benchmark, as specified by the `name`. If no benchmark is specified, CINT2000 * is used
- `Data` – ranks targets according the amount of megabytes of the requested input files that are already in the computing resources cache.
- `Python:<module>.<class>[:arguments]` – ranks targets using any user-supplied custom Python broker module, optionally with broker arguments. Such module can reside anywhere in user's `PYTHONPATH`

*<http://www.spec.org/cpu2000/CINT2000/>

- <otherbroker>[:arguments] – ranks targets using any user-supplied custom C++ broker plugin, optionally with broker arguments. Default location for broker plugins is /usr/lib/arc (may depend on the operating system), or the one specified by the ARC_PLUGIN_PATH.

To write a custom broker in C++ one has to write a new specialization of the `Broker` base class and implement the `SortTargets` method in the new class. The class should be compiled as a loadable module that has the proper ARC plugin descriptor for the new broker. For example, to build a broker plugin “MyBroker” one executes:

```
g++ -I /arc-install/include \
     -L /arc-install/lib \
     `pkg-config --cflags glibmm-2.4 libxml-2.0` \
     -o libaccmybroker.so -shared MyBroker.cpp
```

For more details, refer to *libarclib* documentation [4].

It often happens that some sites that `arcsub` has to contact are slow to answer, or are down altogether. This will not prevent you from submitting a job, but will slow down the submission. To speed it up, you may want to specify a shorter timeout (default is 20 seconds) with the `-t` option:

```
arcsub -t 5 myjob.jsdl
```

Default value for the timeout can be set in the user’s configuration file.

If you would like to get diagnostics of the process of resource discovery and requirements matching, a very useful option is `-d`. The following command:

```
arcsub -d VERBOSE myjob.xrsl
```

will print out the steps taken by the ARC client to find the best cluster satisfying your job requirements. Possible diagnostics degrees, in the order of increasing verbosity, are: FATAL, ERROR, WARNING, INFO, VERBOSE and DEBUG. Default is WARNING, and it can be set to another value in the user’s configuration file.

Default configuration file is \$HOME/.arc/client.conf. However, a user can choose any other pre-defined configuration through option `-z`.

Command line option `-v` prints out version of the installed ARC client, and option `-h` provides a short help text.

2.2.2 arcstat

arcstat [options] [job ...]

(ARC 0.9)

Options:

<code>-a, --all</code>	all jobs
<code>-j, --joblist</code> <i>filename</i>	file containing a list of jobIDs
<code>-c, --cluster</code> <i>[–]name</i>	explicitly select or reject a specific site
<code>-s, --status</code> <i>statusstr</i>	only select jobs whose status is <i>statusstr</i>
<code>-l, --long</code>	long format (extended information)
<code>-t, --timeout</code> <i>time</i>	timeout for queries (default 20 sec)
<code>-d, --debug</code> <i>debuglevel</i>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
<code>-z, --conffile</code> <i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
<code>-v, --version</code>	print version information

-h, --help Arguments: job ...	print help page list of job IDs and/or jobnames
--	--

The **arcstat** command returns the status of jobs in the Grid, and is typically issued with a job ID (as returned by **arcsub**) as an argument. It is also possible to use job name instead of ID, but if several jobs have identical names, information will be collected about all of them. More than one job ID and/or name can be given.

When several of the **-a**, **-j**, **-c**, **-s** and [**job...**] command line options are specified, the command returns information for **ALL** jobs that match either of the criteria (logical OR).

For example, **arcstat -s Finished -c mycluster <jobid>** will return information about all finished jobs on the Grid, plus about all jobs (in any state) on the cluster **mycluster**, plus about the job **<jobid>**.

If the **-l** option is given, extended information is printed.

Options **-a**, **-c**, **-s** and **-j** do not use job ID or names. By specifying the **-a** option, the status of all active jobs will be shown. If the **-j** option is used, the list of jobs is read from a file with the specified filename, instead of the default one (**\$HOME/.arc/jobs.xml**).

Option **-c** accepts arguments in the GRID:URL notation, as explained in the description of **arcsub**, or their aliases as specified in the configuration file.

Different sites may report different job states, depending on the installed grid middleware version. Typical values can be e.g. “Accepted”, “Preparing”, “Running”, “Finished” or “Deleted”. Please refer to the respective middleware documentation for job state model description.

Command line option **-s** will instruct the client to display information of only those jobs which status matches the instruction. This option must be given together with either **-a** or **-c** ones, e.g.:

```
arcstat -as Finished
```

Other command line options are identical to those of **arcsub**.

2.2.3 arccat

It is often useful to monitor the job progress by checking what it prints on the standard output or error. The command **arccat** assists here, extracting the corresponding information from the execution cluster and dumping it on the user’s screen. It works both for running tasks and for the finished ones. This allows a user to check the output of the finished task without actually retrieving it.

arccat [options] [job ...]

(ARC 0.9)

Options:	
-a, --all	all jobs
-j, --joblist <i>filename</i>	file containing a list of job IDs
-c, --cluster <i>[‐] url</i>	explicitly select or reject (‐) a specific site
-s, --status <i>statusstr</i>	only select jobs whose status is <i>statusstr</i>
-o, --stdout	show the stdout of the job (default)
-e, --stderr	show the stderr of the job
-l, --gmlog	show the grid manager’s error log of the job

-t, --timeout	<i>time</i>	timeout for queries (default 20 sec)
-d, --debug	<i>debuglevel</i>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
-z, --conffile	<i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
-v, --version		print version information
-h, --help		print help page
Arguments:		
job ...		list of job IDs and/or jobnames

The **arccat** command returns the standard output of a job (**-o** option), the standard error (**-e** option) or errors reported by either Grid Manager or A-REX (**-1** option).

Other command line options have the same meaning as in **arcstat**.

When several of the **-a**, **-j**, **-c**, **-s** and [**job...**] command line options are specified, the command prints logs for **ALL** jobs that match either of the criteria (logical OR).

For example, **arccat -s Finished -c mycluster <jobid>** will print logs of all finished jobs on the Grid, plus of all jobs (in any state) on the cluster **mycluster**, plus of the job **<jobid>**.

2.2.4 arcget

To retrieve the results of a finished job, the **arcget** command should be used. It will transfer the files specified for download in job description to the user's computer.

arcget [options] [job ...]

(ARC 0.9)

Options:		
-a, --all		all jobs
-j, --joblist	<i>filename</i>	file containing a list of jobIDs
-c, --cluster	[-] name	explicitly select or reject a specific site (cluster)
-s, --status	<i>statusstr</i>	only select jobs whose status is <i>statusstr</i>
-D, --dir	<i>dirname</i>	download path (the job directory will be created in that location)
-k, --keep		keep files in the Grid (do not clean)
-t, --timeout	<i>time</i>	timeout for queries (default 20 sec)
-d, --debug	<i>debuglevel</i>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
-z, --conffile	<i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
-v, --version		print version information
-h, --help		print help page
Arguments:		
job ...		list of job IDs and/or jobnames

Only the results of jobs that have finished can be downloaded. Just like in **arcstat** and **arccat** cases, the job can be referred to either by the **jobID** that was returned by **arcsub** at submission time, or by its name, if the job description contained a job name attribute.

By default, the job is downloaded into a newly created directory in the current path, with the name typically being a large random number. In order to instruct `arcget` to use another path, use option `-D` (note the capital “D”), e.g.

```
arcget -D /tmp/myjobs "Test job nr 1"
```

After downloading, your jobs will be erased from the execution site! Use command line option `-k` to keep finished jobs in the Grid.

Other command line options are identical to those of e.g. `arcstat`.

When several of the `-a`, `-j`, `-c`, `-s` and `[job...]` command line options are specified, the command retrieves **ALL** jobs that match either of the criteria (logical OR).

For example, `arcget -s Finished -c mycluster <jobid>` will retrieve all finished jobs on the Grid, plus all jobs (in any state) on the cluster `mycluster`, plus the job `<jobid>`.

2.2.5 arcsync

It is advised to start every grid session by running `arcsync`, especially when changing workstations. The reason is that your job submission history is cached on your machine, and if you are using ARC client installations on different machines, your local lists of submitted jobs will be different. To synchronise these lists with the information in the Information System, use the `arcsync` command.

arcsync [options]

(ARC 0.9)

Options:

<code>-c, --cluster</code>	<code>[-] name</code>	explicitly select or reject a specific site
<code>-i, --index</code>	<code>url</code>	explicitly select or reject (-) a specific index server
<code>-j, --joblist</code>	<code>filename</code>	file where user's job information will be stored
<code>-f, --force</code>		don't ask for confirmation
<code>-T, --truncate</code>		truncate the job list before synchronising
<code>-t, --timeout</code>	<code>seconds</code>	timeout in seconds (default 20)
<code>-d, --debug</code>	<code>debuglevel</code>	debug level, FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG - default WARNING
<code>-z, --conffile</code>	<code>filename</code>	configuration file (default \$HOME/.arc/client.conf)
<code>-v, --version</code>		print version information
<code>-h, --help</code>		print help page

The ARC client keeps a local list of jobs in the user's home directory. If this file is lost, corrupt, or the user wants to recreate the file on a different workstation, the `arcsync` command will recreate this file from the information available in the Information System.

Since the information about a job retrieved from a cluster can be slightly out of date if the user very recently submitted or removed a job, a warning is issued when this command is run. The `-f` option disables this warning.

If the job list is not empty when invoking syncronisation, the old jobs will be merged with the new jobs, unless the `-T` option is given (note the capital “T”), in which case the job list will first be truncated and then the new jobs will be added.

2.2.6 arcinfo

The `arcinfo` command is used to obtain status information about clusters on the Grid.

arcinfo [options]

(ARC 0.9)

Options:

<code>-c, --cluster</code>	<code>[-] name</code>	explicitly select or reject a specific site
<code>-i, --index</code>	<code>url</code>	explicitly select or reject (-) a specific index server
<code>-l, --long</code>		long format (extended information)
<code>-t, --timeout</code>	<code>seconds</code>	timeout in seconds (default 20)
<code>-d, --debug</code>	<code>debuglevel</code>	debug level, FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG - default WARNING
<code>-z, --conffile</code>	<code>filename</code>	configuration file (default \$HOME/.arc/client.conf)
<code>-v, --version</code>		print version information
<code>-h, --help</code>		print help page

The `arcinfo` command is used to obtain information about clusters and queues (*targets*) available on the Grid. Either the `--cluster` or `--index` flag should be used to specify the target(s) which should be queried for information. Both of these flags take a service endpoint as argument. See `arcsub` and the configuration notes in Section 4 for description of these.

Detailed information about queried computing services can be obtained by specifying the `--long` flag.

When specifying the `--index` flag, the information about the computing services registered at the index server will be queried, rather than the status of the index server itself.

2.2.7 arckill

It happens that a user may wish to cancel a job. This is done by using the `arckill` command. A job can be killed almost at any stage of processing through the Grid.

arckill [options] [job ...]

(ARC 0.9)

Options:

<code>-a, --all</code>		all jobs
<code>-j, --joblist</code>	<code>filename</code>	file containing a list of jobIDs
<code>-c, --cluster</code>	<code>[-] url</code>	explicitly select or reject (-) a specific site
<code>-s, --status</code>	<code>statusstr</code>	only select jobs whose status is <i>statusstr</i>
<code>-k, --keep</code>		keep files in the Grid (do not clean)
<code>-t, --timeout</code>	<code>time</code>	timeout for queries (default 20 sec)
<code>-d, --debug</code>	<code>debuglevel</code>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
<code>-z, --conffile</code>	<code>filename</code>	configuration file (default \$HOME/.arc/client.conf)
<code>-v, --version</code>		print version information
<code>-h, --help</code>		print help page

Arguments:

<code>job ...</code>	list of job IDs and/or jobnames
----------------------	---------------------------------

If a job is killed, its traces are being cleaned from the Grid. If you wish to keep the killed job in the system, e.g. for a post-mortem analysis, use the `-k` option.

Job cancellation is an asynchronous process, such that it may take a few minutes before the job is actually cancelled.

Command line options have the same meaning as the corresponding ones of `arcstat` and others.

When several of the `-a`, `-j`, `-c`, `-s` and `[job...]` command line options are specified, the command kills **ALL** jobs that match either of the criteria (logical OR).

For example, `arckill -s INLRMS:R -c mycluster <jobid>` will kill all running jobs on the Grid, plus all jobs (in any state) on the cluster `mycluster`, plus the job `<jobid>`.

2.2.8 arcclean

If a job fails or gets killed with `-k` option, or when you are not willing to retrieve the results for some reasons, a good practice for users is not to wait for the system to clean up the job leftovers, but to use `arcclean` to release the disk space and to remove the job ID from the list of submitted jobs and from the Information System.

arcclean [options] [job ...]

(ARC 0.9)

Options:

<code>-a, --all</code>	all jobs
<code>-j, --joblist</code> <i>filename</i>	file containing a list of jobIDs
<code>-c, --cluster</code> <code>[-] name</code>	explicitly select or reject a specific site (cluster)
<code>-s, --status</code> <i>statusstr</i>	only select jobs whose status is <i>statusstr</i>
<code>-f, --force</code>	removes the job ID from the local list even if the job is not found on the Grid
<code>-t, --timeout</code> <i>time</i>	timeout for queries (default 20 sec)
<code>-d, --debug</code>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
<code>-z, --conffile</code> <i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
<code>-v, --version</code>	print version information
<code>-h, --help</code>	print help page

Arguments:

<code>job ...</code>	list of job IDs and/or jobnames
----------------------	---------------------------------

Only jobs that have finished or were cancelled can be cleaned.

It happens ever so often that the job is cleaned by the system, or is otherwise unreachable, and yet your local job list file still has it listed. Use `-f` option in this case to forcefully remove such stale job information from the local list.

Other command line options have the same meaning as the corresponding ones of `arcstat` and others.

When several of the `-a`, `-j`, `-c`, `-s` and `[job...]` command line options are specified, the command cleans **ALL** jobs that match either of the criteria (logical OR).

For example, `arcclean -s FAILED -c mycluster <jobid>` will clean all failed jobs on the Grid, plus all jobs (in any state) on the cluster `mycluster`, plus the job `<jobid>`.

2.2.9 arcrenew

Quite often, the user proxy expires while the job is still running (or waiting in a queue). In case such job has to upload output files to a Grid location (Storage Element), it will fail. By using the `arcrenew` command, users can upload a new proxy to the job. This can be done while a job is still running, thus preventing it from failing.

If a job has failed in file upload due to expired proxy, `arcrenew` can be issued within 24 hours (or whatever is the expiration time set by the site) after the job end, which must be followed by `arcresume`. The Grid Manager or A-REX will then attempt to finalize the job by uploading the output files to the desired location.

arcrenew [options] [job ...]

(ARC 0.9)

Options:

<code>-a, --all</code>	all jobs
<code>-j, --joblist</code> <i>filename</i>	file containing a list of jobIDs
<code>-c, --cluster</code> <i>[-]name</i>	explicitly select or reject a specific site (cluster)
<code>-s, --status</code> <i>statusstr</i>	only select jobs whose status is <i>statusstr</i>
<code>-t, --timeout</code> <i>time</i>	timeout for queries (default 20 sec)
<code>-d, --debug</code> <i>debuglevel</i>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
<code>-z, --conffile</code> <i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
<code>-v, --version</code>	print version information
<code>-h, --help</code>	print help page
Arguments:	
<code>job ...</code>	list of job IDs and/or jobnames

Prior to using `arcrenew`, be sure to actually create the new proxy by running `arcproxy`!

Command line options have the same meaning as the corresponding ones of `arcstat` and others.

When several of the `-a`, `-j`, `-c`, `-s` and `[job...]` command line options are specified, the command renews proxies for **ALL** jobs that match either of the criteria (logical OR).

For example, `arcrenew -s FAILED -c mycluster <jobid>` will renew proxies of all failed jobs on the Grid, plus of all jobs (in any state) on the cluster `mycluster`, plus of the job `<jobid>`.

2.2.10 arcresume

In some cases a user may want to restart a failed job, for example, when input files become available, or the storage element for the output files came back online, or when a proxy is renewed with `arcnew`. This can be done using the `arcresume` command.

Make sure your proxy is still valid, or when uncertain, run `arcproxy` followed by `arcnew` before `arcresume`. The job will be resumed from the state where it has failed.

arcresume [options] [job ...]

(ARC 0.9)

<code>-a, --all</code>	all jobs
<code>-j, --joblist</code> <i>filename</i>	file containing a list of jobIDs
<code>-c, --cluster</code> <i>[-] name</i>	explicitly select or reject a specific site (cluster)
<code>-s, --status</code> <i>statusstr</i>	only select jobs whose status is <i>statusstr</i>
<code>-t, --timeout</code> <i>time</i>	timeout for queries (default 20 sec)
<code>-d, --debug</code> <i>debuglevel</i>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
<code>-z, --conffile</code> <i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
<code>-v, --version</code>	print version information
<code>-h, --help</code>	print help page
Arguments:	
<code>job ...</code>	list of job IDs and/or jobnames

Command line options have the same meaning as the corresponding ones of `arcstat` and others.

When several of the `-a`, `-j`, `-c`, `-s` and `[job...]` command line options are specified, the command resumes **ALL** jobs that match either of the criteria (logical OR).

For example, `arcresume -s FAILED -c mycluster <jobid>` will resume all failed jobs on the Grid, plus all jobs (in any state) on the cluster `mycluster`, plus the job `<jobid>`.

2.2.11 arcresub

Quite often it happens that a user would like to re-submit a job, but has difficulties recovering the original job description xRSL file. This happens when xRSL files are created by scripts on-fly, and matching of xRSL to the job ID is not straightforward. The utility called `arcresub` helps in such situations, allowing users to resubmit jobs.

arcresub [options] [job ...]

(ARC 0.9)

Options:

<code>-a, --all</code>	all jobs
<code>-i, --index</code> <i>url</i>	explicitly select or reject (-) a specific index server

<code>-j, --joblist</code>	<i>filename</i>	file containing a list of jobIDs
<code>-c, --cluster</code>	<code>[-] name</code>	explicitly select or reject a specific source site
<code>-q, --qluster</code>	<code>[-] name</code>	explicitly select or reject a specific site as re-submission target
<code>-m, --same</code>		re-submit to the same site
<code>-s, --status</code>	<i>statusstr</i>	only select jobs whose status is <i>statusstr</i>
<code>-x, --dumpdescription</code>		do not submit – dump transformed job description to stdout
<code>-k, --keep</code>		keep files in the Grid (do not clean)
<code>-b, --broker</code>	<i>string</i>	select broker method (default is Random)
<code>-t, --timeout</code>	<i>time</i>	timeout for queries (default 20 sec)
<code>-d, --debug</code>	<i>debuglevel</i>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
<code>-z, --conffile</code>	<i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
<code>-v, --version</code>		print version information
<code>-h, --help</code>		print help page
Arguments:		
<code>job ...</code>		list of job IDs and/or jobnames

Only jobs where the `gmlog` attribute was specified in the job description can be resubmitted.

More than one jobid and/or jobname can be given. If several jobs were submitted with the same jobname all those jobs will be resubmitted.

Upon resubmission of a job the corresponding job description will be fetched from the local job list file. If input files have changed since the original job submission, the job no longer remains the same job and will therefore not be resubmitted. To make sure the job is always resubmittable, submit it with `arcsub -n`.

In case the job description is not found in the joblist, an attempt will be made to retrieve it from the cluster holding the original job. This however may fail, since both the submission client and the cluster can have made modifications to the job description.

Upon resubmission the job will receive a new job ID. The old job ID will be kept in the local job list file, enabling future back tracing of the resubmitted job.

Regarding command line options, `arcresub` behaves much like `arcsub`, except that `-c` in this case indicates not the submission target site, but on the contrary, the site from which the jobs will be resubmitted. Submission target site is specified with option `-q`. If you wish to re-submit each job to the same site, use option `-m`.

If the original job was successfully killed, its traces will be removed from the execution site, unless the `-k` option is specified.

When several of the `-a`, `-j`, `-c`, `-s` and `[job...]` command line options are specified, the command resubmits **ALL** jobs that match either of the criteria (logical OR).

For example, `arcresub -s FAILED -c mycluster <jobid>` will resubmit all failed jobs on the Grid, plus all jobs (in any state) on the cluster `mycluster`, plus the job `<jobid>`.

2.2.12 arcmigrate

Quite often jobs end up stuck in long queues, and users wish to migrate them to a better resource. Command `arcmigrate` is triggering this migration. It applies only to jobs submitted to A-REX, as other Grid execution services do not support this functionality.

arcmigrate [options] [job ...]

(ARC 0.9)

Options:

<code>-a, --all</code>	all jobs
<code>-i, --index</code>	<i>url</i> explicitly select or reject (-) a specific index server
<code>-j, --joblist</code>	<i>filename</i> file containing a list of jobIDs
<code>-c, --cluster</code>	<code>[-]name</code> explicitly select or reject a specific site (cluster)
<code>-q, --qluster</code>	<code>[-]name</code> explicitly select or reject a specific site as re-submission target
<code>-f, --forcemigration</code>	force migration, ignoring kill failure
<code>-b, --broker</code>	<i>string</i> select broker method (default is Random)
<code>-t, --timeout</code>	<i>time</i> timeout for queries (default 20 sec)
<code>-d, --debug</code>	debug level is one of FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG
<code>-z, --conffile</code>	<i>filename</i> configuration file (default \$HOME/.arc/client.conf)
<code>-v, --version</code>	print version information
<code>-h, --help</code>	print help page

Arguments:

<code>job ...</code>	list of job IDs and/or jobnames
----------------------	---------------------------------

Currently only jobs having the A-REX status “Running”, “Executing” or “Queuing” can be migrated

Command line options `-c` and `#-q#` are interpreted in the same way as in `arcresub`, namely, `-c` indicates “from” and `#-q#` “to” which site the job will be migrated.

If the job(s) is successfully migrated, a new job ID(s) is printed out. This jobID uniquely identifies the job while it is being executed.

When several of the `-a, -j, -c, -s` and `[job...]` command line options are specified, the command migrates **ALL** jobs that match either of the criteria (logical OR).

For example, `arcmigrate -s FAILED -c mycluster <jobid>` will migrate all failed jobs on the Grid, plus all jobs (in any state) on the cluster `mycluster`, plus the job `<jobid>`.

2.3 Data manipulation

ARC provides basic data management tools, which are simple commands for file copy and removal, with eventual use of data indexing services.

2.3.1 arcls

`arcls` is a simple utility that allows to list contents and view some attributes of objects of a specified (by a URL) remote directory.

arcls [options] <URL>

(ARC 0.9)

Options:

-l, --long	detailed listing
-L, --locations	detailed listing including URLs from which files can be downloaded
-m, --metadata	display all available metadata
-r, --recursive <i>recursion_level</i>	operate recursively (if possible) up to specified level (0 - no recursion)
-t, --timeout <i>seconds</i>	timeout in seconds (default 20)
-d, --debug	debug level, FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG - default WARNING
-z, --conffile <i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
-v, --version	print version information
-h, --help	print help page

Arguments:

URL	file or directory URL
------------	-----------------------

This tool is very convenient not only because it allows to list files at a Storage Element or records in an indexing service, but also because it can give a quick overview of a job's working directory, which is explicitly given by job ID.

Usage examples can be as follows:

```
arcls -L rls://rls.nordugrid.org:38203/logical_file_name
arcls -l gsiftp://lscf.nbi.dk:2811/jobs/1323842831451666535
arcls srm://grid.uio.no:8446/srm/managerv2?SFN=johndoe/log2
```

Examples of URLs accepted by this tool can be found in Section 3, though **arcls** won't be able to list a directory at an HTTP server, as they normally do not return directory listings.

2.3.2 arccp

arccp is a powerful tool to copy files over the Grid. It is a part of the A-REX, but can be used by the User Interface as well.

arccp [options] <source> <destination>

(ARC 0.9)

Options:

-p, --passive	use passive transfer (does not work if secure is on, default if secure is not requested)
-n, --nopassive	do not try to force passive transfer
-f, --force	if the destination is an indexing service and not the same as the source and the destination is already registered, then the copy is normally not done. However, if this option is specified the source is assumed to be a replica of the destination created in an uncontrolled way and the copy is done like in case of replication. Using this option also skips validation of completed transfers.

-i, --indicate		show progress indicator
-T, --notransfer		do not transfer file, just register it - destination must be non-existing meta-url
-u, --secure		use secure transfer (insecure by default)
-y, --cache	<i>path</i>	path to local cache (use to put file into cache). The X509_USER_PROXY and X509_CERT_DIR environment variables must be set correctly
-r, --recursive	<i>recursion_level</i>	operate recursively (if possible) up to specified level (0 - no recursion)
-R, --retries	<i>number</i>	how many times to retry transfer of every file before failing
-t, --timeout	<i>seconds</i>	timeout in seconds (default 20)
-d, --debug	<i>debuglevel</i>	debug level, FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG - default WARNING
-z, --conffile	<i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
-v, --version		print version information
-h, --help		print help page
Arguments:		
source		source URL
destination		destination URL

This command transfers contents of a file between 2 end-points. End-points are represented by URLs or meta URLs. For supported endpoints please refer to Section 3.

`arccp` can perform multi-stream transfers if `threads` URL option is specified and server supports it.

Source URL can end with "/". In that case, the whole fileset (directory) will be copied. Also, if the destination ends with "/", it is extended with part of source URL after last "/", thus allowing users to skip the destination file or directory name if it is meant to be identical to the source.

Usage examples of `arccp` are:

```
arccp gsiftp://lscf.nbi.dk:2811/jobs/1323842831451666535/job.out \
      file:///home/myname/job2.out
arccp gsiftp://aftpexp.bnl.gov;threads=10/rep/my.file \
      rls://grid.uio.no/zebra4.f
arccp http://www.nordugrid.org/data/somefile gsiftp://hathi.hep.lu.se/data/
```

2.3.3 arcrm

The `arcrm` command allows users to erase files at any location specified by a valid URL.

arcrm [options] <source>

(ARC 0.9)

Options:

-f, --force		remove logical file name registration even if not all physical instances were removed
-t, --timeout	<i>seconds</i>	timeout in seconds (default 20)
-d, --debug	<i>debuglevel</i>	debug level, FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG - default WARNING
-z, --conffile	<i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
-v, --version		print version information

-h, --help	print help page
Arguments:	
source	source URL

A convenient use for **arcrm** is to erase the files in a data indexing catalog (LFC, RLS or such), as it will not only remove the physical instance, but also will clean up the database record.

Here is an **arcrm** example:

```
arcrm lfc://grid.uio.no/grid/atlas/AOD_0947.pool.root
```

2.3.4 arcsrmping

The **arcsrmping** command is used to quickly test availability of an SRM service, similarly to the *ping* tool in Unix.

arcsrmping [options] <service>

(ARC 0.9)

Options:		
-t, --timeout	<i>seconds</i>	timeout in seconds (default 20)
-d, --debug	<i>debuglevel</i>	debug level, FATAL, ERROR, WARNING, INFO, VERBOSE or DEBUG - default WARNING
-z, --conffile	<i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
-v, --version		print version information
-h, --help		print help page
Arguments:		
service	A URL to an SRM service	

The **arcsrmping** command is a *ping* client for the SRM service. It sends an SRM ping request to the SRM service and displays the result.

2.3.5 chelonia

chelonia is a client tool for accessing the Chelonia storage system. With it it is possible to create, remove and list file collections, upload, download and remove files, and move and stat collections and files, using Logical Names (LN).

chelonia [options] <method> [arguments]

(ARC 0.9)

Options:		
-b	<i>URL</i>	URL of Bartender to connect
-x		print SOAP XML messages
-v		verbose mode
-z	<i>filename</i>	configuration file (default \$HOME/.arc/client.conf)
-w		allow to run without the ARC python client libraries (with limited functionality)

Methods:

stat	<i>LN [LN ...]</i>	get detailed information about an entry or several
makeCollection, make, mkdir	<i>LN</i>	create a collection
unmakeCollection, unmake, rmdir	<i>LN</i>	remove an empty collection
list, ls	<i>LN</i>	list the content of a collection
move, mv	<i>source target</i>	move entries within the namespace (both LNs)
putFile, put	<i>source target</i>	upload a file from a <i>source</i> to a <i>target</i> (both specified as LNs))
getFile, get	<i>source [target]</i>	download a file from a <i>source</i> to a <i>target</i>
delFile, del, rm	<i>LN [LN ...]</i>	remove file(s))
modify, mod	<i>string</i>	modify metadata
policy, pol	<i>string</i>	modify access policy rules
unlink	<i>string</i>	remove a link to an entry from a collection without removing the entry itself
credentialsDelegation, cre	<i>string</i>	delegate credentials for using gateway
removeCredentials, rem	<i>string</i>	remove previously delegated credentials
makeMountPoint, makemount	<i>string</i>	create a mount point

Without arguments, each method prints its own help. Detailed explanation of each method is given below.

Examples:

```
chelonia list /
chelonia put orange /
chelonia stat /orange
chelonia get /orange /tmp
chelonia mkdir /fruits
chelonia mkdir /fruits/apple
chelonia mv /orange /fruits
chelonia ls /fruits
chelonia rmdir /fruits/apple
chelonia rmdir /fruits
chelonia rm /fruits/orange
chelonia policy / change ALL +read +addEntry
chelonia modify /pennys-orange set states neededReplicas 2
```

stat

With the **stat** method it is possible to get all the metadata about one or more entry (file, collection, etc.). The entries are specified with their Logical Name (LN).

chelonia stat <LN> [<LN> ...]

The output contains key-value pairs grouped in sections. The ‘states’ section contains the size and the checksum of a file, the number of needed replicas, and whether a collection is closed or not; the ‘entry’ section contains the DN of the owner, the globally unique ID (GUID) of the entry, and the type of the entry (file, collection, etc.); the ‘parents’ section contains the GUID of the parent collection(s) of this entry, and the name of this entry in that collection separated with a ‘/’; the ‘locations’ sections contains the location of the replicas of a file, which contains of the ID (the URL) of the storage element, the ID of the replica within the storage element, and the state of the replica; the ‘timestamps’ section contains the creation time of the entry; the ‘entries’ section contains the name and GUID of the entries of a collection. Example stat of a file:

```
$ chelonia stat /thing
'/thing': found
states
  checksumType: md5
  neededReplicas: 3
  size: 6
  checksum: a0186a90393bd4a639a1ce35d8ef85f6
entry
  owner: /C=HU/O=NIIF CA/OU=GRID/OU=NIIF/CN=Nagy Zsombor
  GUID: 398CBDEA-E282-4735-8DF6-2464CD00BE2D
  type: file
parents
  0/thing: parent
locations
  https://localhost:60000/Shepherd D519F687-EF65-4AEA-9766-E6E2D42166C4: alive
timestamps
  created: 1257351119.3
```

Example stat of a collection:

```
$ chelonia stat /
'/': found
states
  closed: no
entry
  owner: /C=HU/O=NIIF CA/OU=GRID/OU=NIIF/CN=Nagy Zsombor
  GUID: 0
  type: collection
timestamps
  created: 1257351114.37
entries
  thing: 398CBDEA-E282-4735-8DF6-2464CD00BE2D
```

makeCollection

With the `makeCollection` or `mkdir` method it is possible to create a new empty collection. The requested Logical Name (LN) should be specified.

chelonia makeCollection <LN>

The parent collection of the requested Logical Name must exist.

Example output of the method:

```
$ chelonia mkdir /newcoll
Creating collection '/newcoll': done

$ chelonia mkdir /nonexistent/newcoll
Creating collection '/nonexistent/newcoll': parent does not exist
```

unmakeCollection

With the `unmakeCollection` or `rmdir` method it is possible to delete an empty collection which is specified by its Logical Name (LN).

chelonia unmakeCollection <LN>

Example output of the method:

```
$ chelonia rmdir /newcoll
```

```
Removing collection '/newcoll': removed
$ chelonia rmdir /dir
Removing collection '/dir': collection is not empty
```

list

With the **list** or **ls** method it is possible to list the contents of one or more collections which are specified by their Logical Name (LN).

chelonia list <LN> [<LN> ...]

Example output of the method:

```
$ chelonia list / /newcoll
'/newcoll': collection
    empty.
'/' : collection
    thing  <file>
    dir    <collection>
    newcoll <collection>
```

move

With the **move** or **mv** method it is possible to move a file or collection within the namespace of chelonia (including renaming the entry). The source path and the target path should be specified as Logical Names

chelonia move <sourceLN> <targetLN>

Example output of the method:

```
$ chelonia mv /thing /newcoll/
Moving '/thing' to '/newcoll/': moved

$ chelonia mv /newcoll/thing /newcoll/othername
Moving '/newcoll/thing' to '/newcoll/othername': moved
```

putFile

With the **putFile** or **put** method it is possible to upload a new file into the system creating a new Logical Name (LN). It is possible to specify the number of needed replicas.

chelonia putFile <source filename> <target LN> [<number of replicas needed>]

Example output of the method:

```
$ chelonia put thing /newcoll/
'thing' (6 bytes) uploaded as '/newcoll/thing'.
```

getFile

With the **getFile** or **get** method it is possible to download a file specified with its Logical Name (LN). If the target local path is not given, then the file will be put into the local directory.

chelonia getFile <source LN> [<target filename>]

Example output of the method:

```
$ chelonia get /newcoll/thing newlocalname
'/newcoll/thing' (6 bytes) downloaded as 'newlocalname'.
```

delFile

With the **delFile** or **rm** method it is possible to delete one or more files from the system.

chelonia delFile <LN> [<LN> ...]

Example output of the method:

```
$ chelonia rm /newcoll/othername
/newcoll/othername: deleted
```

modify

With the **modify** or **mod** method it is possible to modify some metadata of an entry.

chelonia modify <LN> <changeType> <section> <property> <value>

The possible values of ‘changeType’ are ‘set’ (sets the property to value within the given section), ‘unset’ (removes the property from the given section - the ‘value’ does not matter) and ‘add’ (sets the property to value within the given section only if it does not exist yet).

To change the number of needed replicas for a file:

```
chelonia modify <LN> set states neededReplicas <number of needed replicas>
```

To close a collection:

```
chelonia modify <LN> set states closed yes
```

To change metadata key-value pairs:

```
chelonia modify <LN> set|unset|add metadata <key> <value>
```

policy

With the **policy** or **pol** method it is possible to modify the policy of the entry

chelonia policy <LN> <changeType> <identity> <action list>

The possible values of ‘changeType’ are ‘set’ (sets the action list to the given user overwriting the old one), ‘change’ (modify the current action list with adding and removing actions) and ‘clear’ (clear the action list of the given user).

The ‘identity’ could be currently three things: the DN of a user; the name of a VO (with the syntax: ‘VOMS:<VO name>’); or ‘ALL’ for all users.

The ‘action list’ is a list of actions prefixed with ‘+’ or ‘-’, e.g. ‘+read +addEntry -delete’.

These are the actions which can be used for access control:

- *read*: user can get the list of entries in the collection; user can download the file

- *addEntry*: user can add a new entry to the collection;
- *removeEntry*: user can remove any entry from the collection
- *delete*: user can delete the collection if it is empty; user can delete a file
- *modifyPolicy*: user can modify the policy of the file/collection
- *modifyStates*: user can modify some special metadata of the file/collection (close the collection, change the number of needed replica of the file)
- *modifyMetadata*: user can modify the arbitrary metadata section of the file/collection (these are property-value pairs)

There is an implicit default policy: the owner always has all the rights. Checking the ‘stat’ of new collections:

```
$ chelonia stat /newcoll
'/newcoll': found
  states
    closed: no
  entry
    owner: /C=HU/O=NIIF CA/OU=GRID/OU=NIIF/CN=Nagy Zsombor
    GUID: 41CBD461-09BE-46FD-8A1B-767C7D427AF9
    type: collection
  parents
    0/newcoll: parent
  timestamps
    created: 1257435820.26
  entries
    thing: A63658B4-2C6E-46A3-8238-7D291F8F81C2
```

shows no policies, but it shows the owner. This collection has no additional policies just the default one: the owner can do anything, noone else can do anything.

Let’s set it in a way that all users can read the contents of this collection:

```
$ chelonia policy /newcoll change ALL +read
Setting action list of '/newcoll' for user ALL to +read: set.
$ chelonia stat /newcoll
'/newcoll': found
  [...]
  policy
    ALL: +read
  [...]
```

Then we can set that all the members of the knowarc VO would be able to add entries to this collection:

```
$ chelonia policy /newcoll change VOMS:knowarc +addEntry
Setting action list of '/newcoll' for user VOMS:knowarc to +addEntry: set.
$ chelonia stat /newcoll
'/newcoll': found
  [...]
  policy
    ALL: +read
    VOMS:knowarc: +addEntry
  [...]
```

And for example we can set a specific user to be able to remove entries from this collections:

```
$ chelonia policy /newcoll change \
  "/C=HU/O=NIIF CA/OU=GRID/OU=NIIF/CN=TestUser" +removeEntry
Setting action list of '/newcoll'
```

```

for user /C=HU/O=NIIF CA/OU=GRID/OU=NIIF/CN=TestUser to +removeEntry: set.
$ chelonia stat /newcoll'/newcoll': found
[...]
policy
/C=HU/O=NIIF CA/OU=GRID/OU=NIIF/CN=TestUser: +removeEntry
ALL: +read
VOMS:knowarc: +addEntry
[...]

```

unlink

With the `unlink` method it is possible to remove a file or collection just from its parent collection without removing the file or collection itself.

chelonia unlink <LN>

If there is a file called ‘/newcoll/thing’, it is in the listing of the ‘/newcoll’ collection:

```

$ chelonia list /newcoll
'/newcoll': collection
    thing <file>

```

The file is in the entries of the collection:

```

$ chelonia stat /newcoll
'/newcoll': found
entries
    thing: A63658B4-2C6E-46A3-8238-7D291F8F81C2
[...]

```

It is possible the ‘stat’ the file with the Logical Name ‘/newcoll/thing’:

```

jim:~ zsombor$ chelonia stat /newcoll/thing
'/newcoll/thing': found
states
    checksumType: md5
    neededReplicas: 3
    size: 6
    checksum: a0186a90393bd4a639a1ce35d8ef85f6
[...]

```

Now with the ‘unlink’ method it is possible to remove the file from the ‘/newcoll’ collection, but not from the system:

```

$ chelonia unlink /newcoll/thing
Unlinking '/newcoll/thing': unset

```

Now the file is not in the collection anymore:

```

$ chelonia list /newcoll
'/newcoll': collection
    empty.
$ chelonia stat /newcoll/thing
'/newcoll/thing': not found

```

But with the GUID of the file, it can still be accessed:

```

$ chelonia stat A63658B4-2C6E-46A3-8238-7D291F8F81C2
'A63658B4-2C6E-46A3-8238-7D291F8F81C2': found
states

```

```
checksumType: md5
neededReplicas: 3
size: 6
checksum: a0186a90393bd4a639a1ce35d8ef85f6
[...]
```

credentialDelegation

With the `credentialDelegation` or `cre` method it is possible to delegate credentials to the Bartender.

chelonia credentialDelegation

removeCredentials

With the `removeCredentials` or `rem` method it is possible to remove the previously delegated credentials.

chelonia removeCredentials

makeMountPoint

With the `makeMountPoint` or `makemount` method it is possible to create a mount point within the namespace of Chelonia which points to a GridFTP server.

chelonia makeMountPoint <LN> <URL>

The ‘LN’ is the requested Logical Name for the mount point, the ‘URL’ points to the GridFTP server.

unmakeMountPoint

With the `unmakeMountPoint` or `unmount` method it is possible to remove a previously created mount point.

chelonia unmakeMountPoint <LN>

The ‘LN’ is the Logical Name of the mount point.

Chapter 3

URLs

File locations in ARC can be specified both as local file names, and as Internet standard *Uniform Resource Locators (URL)*. There are also some additional URL *options* that can be used.

The following transfer protocols and metadata servers are supported:

<code>ftp</code>	ordinary <i>File Transfer Protocol (FTP)</i>
<code>gsiftp</code>	GridFTP, the Globus® -enhanced FTP protocol with security, encryption, etc. developed by The Globus Alliance [5]
<code>http</code>	ordinary <i>Hyper-Text Transfer Protocol (HTTP)</i> with PUT and GET methods using multiple streams
<code>https</code>	HTTP with SSL v3
<code>httpg</code>	HTTP with Globus® GSI
<code>ldap</code>	ordinary <i>Lightweight Data Access Protocol (LDAP)</i> [9]
<code>rls</code>	Globus® <i>Replica Location Service (RLS)</i> [3]
<code>lfc</code>	LFC catalog and indexing service of EGEE gLite [1]
<code>srm</code>	Storage Resource Manager (SRM) service [7]
<code>file</code>	local to the host file name with a full path
<code>arc</code>	for the Chelonia storage service, communicates with Bartenders, the path should be a Logical Name (LN)

An URL can be used in a standard form, i.e.

```
protocol://[host[:port]]/file
```

Or, to enhance the performance, it can have additional options:

```
protocol://[host[:port]][;option[;option[...]]]/file
```

For a metadata service URL, construction is the following:

```
protocol://[url[|url[...]]@]host[:port][;option[;option[...]]]/  
    lfn[:metadataoption[:metadataoption[...]]]
```

For Chelonia, the syntax is

```
arc://<LogicalName>[?BartenderURL=<URL>]
```

where the BartenderURL could come from the ‘bartender’ parameter of the client configuration file.

For the SRM service, the syntax is

```
srm://host[:port][;options]/[service_path?SFN=]file
```

Versions 1.1 and 2.2 of the SRM protocol are supported. The default *service_path* is srm/managerv2 when the server supports v2.2, srm/managerv1 otherwise.

The URL components are:

host[:port]	Hostname or IP address [and port] of a server
lfn	Logical File Name
url	URL of the file as registered in indexing service
service_path	End-point path of the web service
file	File name with full path
option	URL option
metadataoption	Metadata option for indexing service

The following options are supported for location URLs:

threads=<number>	specifies number of parallel streams to be used by GridFTP or HTTP(s,g); default value is 1, maximal value is 10
cache=yes no renew copy	indicates whether the GM should cache the file; default for input files is yes . renew forces a download of the file, even if the cached copy is still valid. copy forces the cached file to be copied (rather than linked) to the session dir, this is useful if for example the file is to be modified.
readonly=yes no	for transfers to file:// destinations, specifies whether the file should be read-only (unmodifiable) or not; default is yes
secure=yes no	indicates whether the GridFTP data channel should be encrypted; default is no
blocksize=<number>	specifies size of chunks/blocks/buffers used in GridFTP or HTTP(s,g) transactions; default is protocol dependent
checksum=cksum md5 adler32 no	specifies the algorithm for checksum to be computed (for transfer verification or provided to the indexing server). This is overridden by any metadata options specified (see below). If this option is not provided, the default for the protocol is used. checksum=no disables checksum calculation.
exec=yes no	means the file should be treated as executable
preserve=yes no	specify if file must be uploaded to this destination even if job processing failed (default is no)
guid=yes no	make software use GUIDs instead of LFNs while communicating to indexing services; meaningful for r1s:// only
overwrite=yes no	make software try to overwrite existing file(s), i.e. before writing to destination, tools will try to remove any information/content associated with specified URL
protocol=gsi gssapi	to distinguish between two kinds of http . gssapi stands for implementation using only GSSAPI functions to wrap data and gsi uses additional headers as implemented in Globus IO. The default is gssapi . In case this fails, gsi is then tried.
spacetoken=<pattern>	specify the space token to be used for uploads to SRM storage elements supporting SRM version 2.2 or higher
autodir=yes no	specify if before writing to specified location software should try to create all directories mentioned in specified URL. Currently this applies to FTP and GridFTP only. Default for those protocols is yes

<code>tcpnodelay=yes no</code>	controls the use of the TCP_NODELAY socket option (which disables the Nagle algorithm). Applies to http(s) only. Default is no
--------------------------------	--

Local files are referred to by specifying either a location relative to the job submission working directory, or by an absolute path (the one that starts with "/"), preceded with a `file://` prefix.

Metadata service URLs also support metadata options which can be used for register additional metadata attributes or query the service using metadata attributes. These options are specified at the end of the LFN and consist of name and value pairs separated by colons. The following attributes are supported:

<code>guid</code>	GUID of the file in the metadata service
<code>checksumtype</code>	Type of checksum. Supported values are cksum (default), md5 and adler32
<code>checksumvalue</code>	The checksum of the file

Currently these metadata options are only supported for `lfc://` URLs.

Examples of URLs are:

```
http://grid.domain.org/dir/script.sh
gsiftp://grid.domain.org:2811;threads=10;secure=yes/dir/input_12378.dat
ldap://grid.domain.org:389/lc=collection1,rc=Nordugrid,dc=nordugrid,dc=org
rls://gsiftp://se.domain.org/datapath/file25.dat@grid.domain.org:61238/myfile02.dat1
file:///home/auser/griddir/steer.cra
lfc://srm://srm.domain.org/griddir@lfc.domain.org/user/file1:guid=\bc68cdd0-bf94-41ce-ab5a-06a1512764dc:checksumtype=adler32:checksumvalue=123456782
lfc://lfc.domain.org;cache=no/:guid=bc68cdd0-bf94-41ce-ab5a-06a1512764d3
```

¹This is a destination URL. The file will be copied to the GridFTP server at `se.domain.org` with the path `datapath/file25.dat` and registered in the RLS indexing service at `grid.domain.org` with the LFN `myfile02.dat`.

²This is a destination URL. The file will be copied to `srm.domain.org` at the path `griddir/file1` and registered to the LFC service at `lfc.domain.org` with the LFN `/user/file1`. The given GUID and checksum attributes will be registered.

³This is a source URL. The file is registered in the LFC service at `lfc.domain.org` with the given GUID and can be copied or queried by this URL.

Chapter 4

ARC Client Configuration

The default behaviour of an ARC client can be configured by specifying alternative values for some parameters in the client configuration file. The file is called `client.conf` and is located in directory `.arc` in user's home area:

```
$HOME/.arc/client.conf
```

If this file is not present or does not contain the relevant configuration information, the global configuration files (if exist) or default values are used instead. Some client tools may be able to create the default `$HOME/.arc/client.conf`, if it does not exist.

The ARC configuration file consists of several configuration blocks. Each configuration block is identified by a keyword and contains configuration options for a specific part of the ARC middleware.

The configuration file is written in a plain text format known as INI. Configuration blocks start with identifying keywords inside square brackets. Typically, first comes a common block: `[common]`. Thereafter follows one or more attribute-value pairs written one on each line in the following format:

```
[common]
attribute1=value1
attribute2=value2
attribute3=value3 value4
# comment line 1
# comment line 2
...
```

Most attributes have counterpart command line options. Command line options always overwrite configuration attributes.

Two blocks are currently recognized, `[common]` and `[alias]`. Following sections describe supported attributes per block.

4.1 Block `[common]`

defaultservices

This attribute is multi-valued.

This attribute is used to specify default services to be used. Defining such in the user configuration file will override the default services set in the system configuration.

The value of this attribute should follow the format:

```
service_type:flavour:service_url
```

where `service_type` is type of service (e.g. `computing` or `index`), `flavour` specifies type of middleware plugin to use when contacting the service (e.g. `ARC0`, `ARC1`, `CREAM`, `UNICORE`, etc.) and `service_url` is the URL used to contact the service. Several services can be listed, separated with a blank space (no line breaks allowed).

Example:

```
defaultservices=index:ARC0:ldap://index1.ng.org:2135/Mds-Vo-name=testvo,o=grid
  ↘index:ARC1:https://index2.ng.org:50000/isis
  ↘computing:ARC1:https://ce.arc.org:60000/arex
  ↘computing:CREAM:ldap://ce.glide.org:2170/o=grid
  ↘computing:UNICORE:https://ce.unicore.org:8080/test/services/BESFactory?res=default_bes_factory
```

rejectservices

This attribute is multi-valued.

This attribute can be used to indicate that a certain service should be rejected (“blacklisted”). Several services can be listed, separated with a blank space (no line breaks allowed).

Example: `rejectservices=computing:ARC1:https://bad.service.org/arex`

verbosity

Default verbosity (debug) level to use for the ARC clients. Corresponds to the `-d` command line option of the clients. Default value is `WARNING`, possible values are `FATAL`, `ERROR`, `WARNING`, `INFO`, `VERBOSE` or `DEBUG`.

Example: `verbosity=INFO`

timeout

Sets the period of time the client should wait for a service (information, computing, storage etc) to respond when communicating with it. The period should be given in seconds. Default value is 20 seconds. This attribute corresponds to the `-t` command line option.

Example: `timeout=10`

brokername

Configures which brokering algorithm to use during job submission. This attribute corresponds to the `-b` command line option. The default one is the `Random` broker that chooses targets randomly. Another possibility is, for example, the `FastestQueue` broker that chooses the target with the shortest estimated queue waiting time. For an overview of brokers, please refer to Section 2.2.1.

Example: `brokername=Data`

brokerarguments

This attribute is used in case a broker comes with arguments. This corresponds to the parameter that follows column in the **-b** command line option.

Example: brokerarguments=cow

joblist

Path to the job list file. This file will be used by commands such as **arcsub**, **arcstat**, **arcsync** etc. to read and write information about jobs. This attribute corresponds to the **-j** command line option. The default location of the file is in the **\$HOME/.arc/client.conf** directory with the name **jobs.xml**.

Example:

```
joblist=/home/user/run/jobs.xml  
joblist=C:\\run\\jobs.xml
```

bartender

Specifies default *Bartender* services. Multiple Bartender URLs should be separated with a blank space. These URLs are used by the **chelonia** command line tool, the Chelonia FUSE plugin and by the data tool commands **arccp**, **arcls**, **arcrm**, etc..

Example: bartender=http://my.bar.com/tender

proxypath

Specifies a non-standard location of proxy certificate. It is used by **arcproxy** or similar tools during proxy generation, and all other tools during establishing of a secure connection. This attribute corresponds to the **-P** command line option of **arcproxy**.

Example: proxypath=/tmp/my-proxy

keypath

Specifies a non-standard location of user's private key. It is used by **arcproxy** or similar tools during proxy generation. This attribute corresponds to the **-K** command line option of **arcproxy**.

Example: keypath=/home/username/key.pem

certificatepath

Specifies a non-standard location of user's public certificate. It is used by **arcproxy** or similar tools during proxy generation. This attribute corresponds to the **-C** command line option of **arcproxy**.

Example: certificatepath=/home/username/cert.pem

cacertificatesdirectory

Specifies non-standard location of the directory containing CA-certificates. This attribute corresponds to the -T command line option of `arcproxy`.

Example: `cacertificatesdirectory=/home/user/cacertificates`

cacertificatepath

Specifies an explicit path to the certificate of the CA that issued user's credentials.

Example: `cacertificatepath=/home/user/myCA.0`

vomsserverpath

Specifies non-standard path to the file which contains list of VOMS services and associated configuration parameters. This attribute corresponds to the -V command line option of `arcproxy`.

Example: `vomsserverpath=/etc/voms/vomses`

username

Sets default username to be used for requesting credentials from Short Lived Credentials Service. This attribute corresponds to the -U command line option of `arcslcs`.

Example: `username=johndoe`

password

Sets default password to be used for requesting credentials from Short Lived Credentials Service. This attribute corresponds to the -P command line option of `arcslcs`.

Example: `password=secret`

keypassword

Sets default password to be used to encode the private key of credentials obtained from a Short Lived Credentials Service. This attribute corresponds to the -K command line option of `arcslcs`.

Example: `keypassword=secret2`

keysize

Sets size (strength) of the private key of credentials obtained from a Short Lived Credentials Service. Default value is 1024. This attribute corresponds to the -Z command line option of `arcslcs`.

Example: `keysize=2048`

certificatelifetime

Sets lifetime (in hours, starting from current time) of user certificate which will be obtained from a Short Lived Credentials Service. This attribute corresponds to the **-L** command line option of **arcslcs**.

Example: **certificatelifetime=12**

slcs

Sets the URL to the Short Lived Certificate Service. This attribute corresponds to the **-S** command line option of **arcslcs**.

Example: **slcs=https://127.0.0.1:60000/slcs**

storedirectory

Sets directory which will be used to store credentials obtained from a Short Lived Credential Servise. This attribute corresponds to the **-D** command line option of **arcslcs**.

Example: **storedirectory=/home/mycredentials**

idpname

Sets Identity Provider name (Shibboleth) to which user belongs. It is used for contacting Short Lived Certificate Services. This attribute corresponds to the **-I** command line option of **arcslcs**.

Example: **idpname=https://idp.testshib.org/idp/shibboleth**

4.2 Block [alias]

Users often prefer to submit jobs to a specific site; since contact URLs (and especially end-point references) are very long, it is very convenient to replace them with aliases. Block [alias] simply contains a list of alias-value pairs.

Alias substitutions is performed in connection with the **-c** command line switch of the ARC clients.

Aliases can refer to a list of services (separated by a blank space).

Alias definitions can be recursive. Any alias defined in a list that is read before a given list can be used in alias definitions in that list. An alias defined in a list can also be used in alias definitions later in the same list.

Examples:

[alias]

```
arc0=computing:ARC0:ldap://ce.ng.org:2135/nordugrid-cluster-name=ce.ng.org,Mds-Vo-name=local,o=grid
arc1=computing:ARC1:https://arex.ng.org:60000/arex
cream=computing:CREAM:ldap://cream.glite.org:2170/o=grid
unicore=computing:UNICORE:https://bes.unicore.org:8080/test/services/BESFactory?res=default_bes
crossbrokering=arc0 arc1 cream unicore
```

4.3 srms.conf

If any data management commands are used with the Storage Resource Management (SRM) [7] protocol, the file

```
$HOME/.arc/srms.conf
```

may be created to store cached information on these services. For more information see the description inside this file.

4.4 Deprecated configuration files

ARC configuration file in releases 0.6 and 0.8 has the same name and the same format. Only one attribute is preserved (`timeout`); other attributes unknown to newer ARC versions are ignored.

In ARC \leq 0.5.48, configuration was done via files `$HOME/.ngrc`, `$HOME/.nggiislist` and `$HOME/.ngalias`.

The main configuration file `$HOME/.ngrc` could contain user's default settings for the debug level, the information system query timeout and the download directory used by `ngget`. A sample file could be the following:

```
# Sample .ngrc file
# Comments starts with #
NGDEBUG=1
NGTIMEOUT=60
NGDOWNLOAD=/tmp
```

If the environment variables NGDEBUG, NGTIMEOUT or NGDOWNLOAD were defined, these took precedence over the values defined in this configuration. Any command line options override the defaults.

The file `$HOME/.nggiislist` was used to keep the list of default GIIS server URLs, one line per GIIS (see `giis` attribute description above).

The file `$HOME/.ngalias` was used to keep the list of site aliases, one line per alias (see `alias` attribute description above).

Bibliography

- [1] gLite, Lightweight Middleware for Grid Computing. Web site. URL <http://glite.web.cern.ch/glite/>.
- [2] A. Anjomshoaa et al. Job Submission Description Language (JSIDL) Specification, Version 1.0 (first errata update). GFD-R.136, July 2008. URL <http://www.gridforum.org/documents/GFD.136.pdf>.
- [3] Ann L. Chervenak et al. Performance and Scalability of a Replica Location Service. In *Proceedings of the 13th IEEE International Symposium on High Performance Distributed Computing (HPDC'04)*, pages 182–191. IEEE Computer Society Press, 2004. ISBN 0-7803-2175-4.
- [4] M. Ellert, B. Mohn, I. Márton, and G. Rőczei. *libarcclient – A Client Library for ARC*. The NorduGrid Collaboration. URL http://www.nordugrid.org/documents/client_technical.pdf. NORDUGRID-TECH-20.
- [5] I. Foster and C. Kesselman. Globus: A Metacomputing Infrastructure Toolkit. *International Journal of Supercomputer Applications*, 11(2):115–128, 1997. Available at: <http://www.globus.org>.
- [6] F. Pacini and A. Maraschini. *Job Description Language attributes specification*, 2007. URL <https://edms.cern.ch/document/590869/1>. EGEE-JRA1-TEC-590869-JDL-Attributes-v0-8.
- [7] A. Sim, A. Shoshani, et al. The Storage Resource Manager Interface (SRM) Specification v2.2. GFD-R-P.129, May 2008. URL <http://www.ggf.org/documents/GFD.129.pdf>.
- [8] O. Smirnova. *Extended Resource Specification Language*. The NorduGrid Collaboration. URL <http://www.nordugrid.org/documents/xrsl.pdf>. NORDUGRID-MANUAL-4.
- [9] M. Smith and T. A. Howes. *LDAP : Programming Directory-Enabled Applications with Lightweight Directory Access Protocol*. Macmillan, 1997.

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the definition; numbers in roman refer to the pages where the entry is used.

A			B			C	
arccat	13	arcscls	9	chelonia:makeMountPoint	31	chelonia:removeCredentials . . .	31
arcclean	17	arcrmping	24	chelonia:modify	28	chelonia:putFile	27
arcctl	22	arcsub	9	chelonia:move	27	chelonia:policy	28
arcget	14	arcsync	15	chelonia:stat	25	chelonia:putFile	27
arcinfo	16	broker	11	chelonia:removeCredentials . . .	31	chelonia:unlink	30
arkill	16			chelonia:unmakeCollection . . .	26		
arcls	21			chelonia:unmakeMountPoint . .	31		
arcmigrate	20	chelonia	24				
arcproxy	7	chelonia:credentialDelegation .	31				
arcnew	18	chelonia:delFile	28	commands:arccat	13		
arcresub	19	chelonia:getFile	27	commands:arcctl	17		
arcresume	19	chelonia:list	27	commands:arcctl	22		
arcrm	23	chelonia:makeCollection . . .	26	commands:arcget	14		

commands:arcinfo	16	commands:chelonia:putFile	27	configuration:rejectservices	38
commands:arckill	16	commands:chelonia:removeCredentials		configuration:slcs	41
commands:arcls	21	configuration:slcs	31	configuration:srms.conf	41
commands:arcmigrate	20	commands:chelonia:stat	25	configuration:storedirectory	41
commands:arcproxy	7	commands:chelonia:unlink	30	configuration:timeout	38
commands:arcnew	18	commands:chelonia:unmakeCollection		configuration:username	40
commands:arcresub	19	configuration:username	26	configuration:verbosity	38
commands:arcresume	19	commands:chelonia:unmakeMountPoint		configuration:vomsserverpath	40
commands:arcrm	23	configuration:vomsserverpath	31		
commands:arcslcs	9			D	
commands:arcsrmping	24	configuration:bartender	39	data management	21
commands:arcsub	9	configuration:brokerarguments	38		
commands:arcsync	15	configuration:brokername	38	G	
commands:chelonia	24	configuration:cacertificatepath	40	gmlog	20
commands:chelonia:credentialDelegation		configuration:cacertificatesdirectory	39		
.	31	configuration:cryptolifetime	40	J	
commands:chelonia:delFile	28	configuration:certificatepath	39	job ID	11
commands:chelonia:getFile	27	configuration:defaultservices	37	job management	9
commands:chelonia:list	27	configuration:deprecated files	42		
commands:chelonia:makeCollection		configuration:idpname	41	S	
.	26	configuration:joblist	39	security	7
commands:chelonia:makeMountPoint		configuration:keypassword	40	submit job	9
.	31	configuration:keypath	39		
commands:chelonia:modify	28	configuration:keysizes	40	U	
commands:chelonia:move	27	configuration:password	40	URL	33
commands:chelonia:policy	28	configuration:proxypath	39	URL:options	34
				URLs	33